

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S159	1332	determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline) with (before prior)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 16:41
S160	1035	(stor\$3 sav\$3) near5 (drive disk disc non\$1volatile) near5 instead near5 (ram volatile sram memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 16:42
S161	420	S160 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 16:42
S162	1086	(sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (drive disk disc non\$1volatile) near5 instead near5 (ram volatile sram memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 16:42
S163	437	S162 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 16:42

S164	0	S159 same S161	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 16:43
S165	0	S159 same S160	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 16:43
S166	0	S159 same S162	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 16:43
S167	420	S161 and S163	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 16:43
S168	31130	710/8,15-17,19,31,33,36,39,52.ccls. 709/234.ccls. 711/118.ccls. 714/5,47.ccls. 358/1.1,1.13,1.15,1.16,400,404,442,444.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 16:43
S169	69	S159 and S168	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 16:43
S170	7	determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) with (after) near4 (drive disk disc non \$1volatile)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:00

S171	80	determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) with (after) near4 (sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:03
S172	22	determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) same (after) near4 (drive disk disc non\$1volatile)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:03
S173	12	determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) same (after) near4 (sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near3 (drive disk disc non\$1volatile memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:06
S174	2	"20050114568".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S175	18834	(buffer memory ram short\$1term) with (long\$1term (hard adj2 drive) prom eeprom firmware) with stor\$3 with (available busy unavailable function\$3 malfunction\$3 operating operational)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S176	1203	S175 same printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S177	4921	710/8,15,17,19,31,33.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S178	130	S177 and S175	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S179	5257	710/8,15-17,19,31,33.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S180	139	S179 and S175	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S181	9	S180 not S178	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S182	322	(buffer memory ram short\$1term temporary) with (long \$1term (hard adj2 drive) prom eeprom firmware) with stor \$3 with (available busy unavailable function\$3 malfunction \$3 operating operational) with printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S183	508	(buffer memory ram short\$1term temporary) with (long \$1term (hard adj2 drive) prom eeprom firmware) with stor \$3 with (available busy unavailable function\$3 malfunction \$3 operating operational connected off) with printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S184	8	S183 and S179	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S185	746	(buffer memory ram short\$1term temporary) with (long \$1term (hard adj2 drive) prom eeprom firmware) with stor \$3 with (available busy unavailable function\$3 malfunction \$3 operating operational connected off) with print\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S186	47	S185 same print\$3 near3 (job task request file)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S187	18	("4872091" "5003494" "5047955" "5050100" "5159681" "5201031" "5241662" "5297876" "5345314" "5357607" "5408589" "5478155" "5524186" "5537517" "5548740" "5553202" "5563987" "5579452").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S188	3	printer with busy with stor\$3 with drive	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S189	23	printer with busy with stor\$3 with available	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S190	2	("6241673").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S191	4	("6238344" "6358204").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S192	6	("6023343").URPN.	USPAT	OR	ON	2009/10/09 18:11
S193	14	("4970554" "5101494" "5450571" "5467434" "5483653" "5559933" "5579087" "5580177" "5581736" "5619649" "5715381" "5790119" "5893129" "6023343").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11

S194	21	("3597071" "4503499" "4769771" "4821107" "4970554" "5021892" "5043881" "5047955" "5086497" "5113393" "5113494" "5126932" "5170340" "5175633" "5223948" "5276799" "5278950" "5307458" "5367673" "5436730" "5504843").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S195	1	(temporary adj (memory buffer)) with (hard adj2 drive) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S196	145	(memory buffer) with (hard adj2 drive) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S197	58	(memory buffer) with (hard adj2 drive) with (sav\$3 stor\$3) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S198	196	((hard adj2 drive) long\$1term permanent non\$1volatile) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S199	24	(secondary) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S200	2	"0755021"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S201	0	ep0755021	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S202	244	print near3 server with drive	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S203	201	print adj server with drive	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S204	12	print adj server with hard adj drive	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S205	2	"20040139265".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S206	0	(user person operator) with cancel\$4 with (job task) with ram with printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S207	24	(user person operator) with cancel\$4 with (job task) with (memory buffer queue) with printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S208	3	"6614559".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S209	5257	710/8,15-17,19,31,33.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S210	1	(temporary adj (memory buffer)) with (hard adj2 drive) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S211	145	(memory buffer) with (hard adj2 drive) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S212	58	(memory buffer) with (hard adj2 drive) with (sav\$3 stor\$3) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S213	196	((hard adj2 drive) long\$1term permanent non\$1volatile) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S214	24	(secondary) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S215	5	S209 and S211	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S216	2	S209 and S212	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S217	4	S209 and S213	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S218	24	(secondary) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11

S219	728	(sav\$3 stor\$3) near4 (data object file information job task) near4 (drive disc disk memory) with peripheral near3 (available busy unavailable function\$3 malfunction \$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S220	16	("4399538" "4458307" "4611289" "5371873" "5784628" "5845142" "5920728" "5971790" "5978922" "6304981" "6314502" "6314528" "6353894" "6487521" "6516440" "6694453").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S221	484	(sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 (drive disc disk memory) with peripheral near3 (available unavailable accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S222	728	(sav\$3 stor\$3) near4 (data object file information job task) near4 (drive disc disk memory) with peripheral near3 (available busy unavailable function\$3 malfunction \$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S223	448	S222 and S221	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S224	9	S222 and suspend\$3 near4 (drive disc disk memory)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S225	4	S222 and suspend\$3 near4 (data object file information job task) near5 (drive disc disk memory)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S226	1834	(sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 (drive disc disk memory) same peripheral near3 (available unavailable accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S227	4801	(sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S228	950	(sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1volatile permanent)adj memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11

S229	955	(sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1volatile permanent)adj memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off disconnect\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S230	28	(sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1volatile permanent)adj memory) same (printer peripheral) near3 (unavailable unaccessible malfunction\$3 disconnect\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S231	2	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 ((hard near2 (drive disc disk)) (non\$1volatile permanent)adj memory) same (printer peripheral) near2 (unavailable unaccessible malfunction\$3 disconnect\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S232	2498	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S233	5257	710/8,15-17,19,31,33.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S234	74	S232 and S233	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S235	14	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S236	23	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence present)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11

S237	27	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence present absence absent)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S238	2	("6614559").URPN.	USPAT	OR	ON	2009/10/09 18:11
S239	6	("6694453").URPN.	USPAT	OR	ON	2009/10/09 18:11
S240	10	("4399538" "4611289" "5371873" "5784628" "5791790" "6304981" "6314502" "6314528" "6487521" "6516440").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S241	11	(storage near2 disk) near4 print adj data	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S242	5257	710/8,15-17,19,31,33.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S243	29986	710/8,15-17,19,31,33,36,39,52.ccls. 709/234.ccls. 711/118.ccls. 714/5,47.ccls. 358/1.1,1.13,1.15,1.16,400.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S244	955	(sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1volatile permanent)adj memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off disconnect\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S245	508	(buffer memory ram short\$1term temporary) with (long \$1term (hard adj2 drive) prom eeprom firmware) with stor \$3 with (available busy unavailable function\$3 malfunction \$3 operating operational connected off) with printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S246	200	S243 and S244	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11

S247	29	S244 and S245	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S248	115	S243 and S245	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S249	2498	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S250	525	S243 and S249	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S251	18	S245 and S250	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S252	11	raz-israel\$.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S253	50	("4290421" "5550990" "5680624" "5968138" "3785909" "4247893" "4249239" "4248010" "4251821" "4252215" "4253362" "4253304" "4253672" "4255835" "4257826" "4257466" "4261399" "4262799" "4266376" "4271492" "4270698" "4274262" "4276255" "4276582" "4281569" "4283094" "4283036" "4282975" "4287428" "4290497" "4292025" "4294135" "4299230" "4300884" "4307909" RE30875 "4310017" "4311017" "4312489" "4314354" "4317303" "4318244" "4318602" "4319263" "4320507" "4321587" "4322822" "4325351" "4326139" "4326311"). pn.	US-PGPUB; USPAT	OR	ON	2009/10/09 18:11
S254	31130	710/8,15-17,19,31,33,36,39,52.ccls. 709/234.ccls. 711/118.ccls. 714/5,47.ccls. 358/1.1,1.13,1.15,1.16,400,404,442,444.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S255	2498	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S256	769	S255 same access\$5	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S257	114	S254 and S256	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S258	473	S256 same connected	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S259	51	S255 same access\$5 near4 connected	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S260	2932	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S261	7869	(sav\$3 stor\$3 back\$4up) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S262	213	S260 same (sav\$3 stor\$3 back\$4up) near2 tempora\$5	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S263	51	S254 and S262	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S264	370	S261 same (sav\$3 stor\$3 back\$4up) near2 tempora\$5	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S265	81	S254 and S264	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S266	39	S265 not S263	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S267	0	snagit\$.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S268	0	snag\$1it\$.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S269	11	raz-israel\$.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S270	7	"5898827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S271	1664210	(stor\$3 buffer\$3) near5 (memory drive dis\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S272	1684172	(stor\$3 buffer\$3 spool\$3) near5 (memory drive dis\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S273	1347672	(peripheral device) near4 (unavailable connected coupled)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S274	123429	S272 same S273	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S275	31130	710/8,15-17,19,31,33,36,39,52.ccls. 709/234.ccls. 711/118.ccls. 714/5,47.ccls. 358/1.1,1.13,1.15,1.16,400,404,442,444.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S276	970385	(sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S277	1929016	(peripheral device) near4 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S278	92519	S276 same S277	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S279	1337	S278 and remote with field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S280	44	S275 and S279	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S281	2	"5898824".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S282	8	("5177620" "5483353" "5598533" "5621540" "5659669" "5675422" "5798848" "H001677").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/09 18:11
S283	16	("5898824").URPN.	USPAT	OR	ON	2009/10/09 18:11
S284	970385	(sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S285	1929016	(peripheral device) near4 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S286	40997	S284 with S285	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S287	79	S286 same (ebt mri spect ct pet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S288	34	"6564271"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S289	3	"6564271".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S290	72	test near3 result with output\$4 with peripheral	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S291	73	test near3 (result report) with output\$4 with peripheral	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S292	970385	(sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S293	1929016	(peripheral device) near4 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S294	92519	S292 same S293	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S295	1337	S294 and remote with field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S296	0	S295 and S291	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S297	51	S291 and S293	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S298	2911	(portable mobile) near4 (ultrasound ebt mri spect ct pet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S299	872	S293 and S298	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S300	107	S293 same S298	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S301	970385	(sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S302	329	S299 and S301	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S303	1	S300 same S301	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S304	31130	710/8,15-17,19,31,33,36,39,52.ccls. 709/234.ccls. 711/118.ccls. 714/5,47.ccls. 358/1.1,1.13,1.15,1.16,400,404,442,444.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S305	1	S302 and S168	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S306	1	S299 and S168	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S307	349	(portable mobile) near4 (ultrasound ebt mri spect ct pet) near4 imaging	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S308	447	(portable mobile) near4 (ultrasound ebt mri spect ct pet) near4 imag\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S309	180	S293 and S308	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S310	92	S301 and S309	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S311	400	spool\$3 with (RAM volatile) with (peripheral printer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S312	198	S301 same S311	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S313	108	S168 and S312	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S314	3907	(print\$3 output\$4) near3 upon near3 (connect\$3 coupl\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S315	0	S308 and S314	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S316	7	S311 and S314	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S317	320	(stor\$3 sav\$3) near3 (drive disk disc non\$1volatile) near3 instead near3 (ram volatile sram)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S318	529	(stor\$3 sav\$3) near3 (drive disk disc non\$1volatile) near3 instead near3 (ram volatile sram memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S319	5	S318 same peripheral	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S320	1035	(stor\$3 sav\$3) near5 (drive disk disc non\$1volatile) near5 instead near5 (ram volatile sram memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S321	8	S160 same peripheral	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S322	45	S160 same printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S323	420	S160 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11

S324	1086	(sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (drive disk disc non\$1volatile) near5 instead near5 (ram volatile sram memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S325	437	S162 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S326	7	S162 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) near4 (peripheral printer ultrasound ebt mri spect ct pet)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S327	52	S163 same file	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S328	2	"7180619".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/09 18:11
S329	23	("20010038462" "20020027673" "20020042798" "5241397" "5287194" "5528734" "5845058" "5859711" "5897260" "5978650" "5982996" "5995721" "5995723" "6088120" "6157465" "6229622" "6248996" "6266150" "6337745" "6452692" "6618167" "6700678" "RE37258").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/09 18:11
S330	0	("7180619").URPN.	USPAT	OR	OFF	2009/10/09 18:11

S331	1368	determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline) with (before prior)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S332	1097	(stor\$3 sav\$3) near5 (drive disk disc non\$1volatile) near5 instead near5 (ram volatile sram memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S333	447	S332 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S334	1151	(sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (drive disk disc non\$1volatile) near5 instead near5 (ram volatile sram memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S335	465	S334 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S336	0	S331 same S333	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S337	0	S331 same S332	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S338	0	S331 same S334	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S339	447	S333 and S335	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S340	32191	710/8,15-17,19,31,33,36,39,52.ccls. 709/234.ccls. 711/118.ccls. 714/5,47.ccls. 358/1.1,1.13,1.15,1.16,400,404,442,444.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S341	71	S331 and S340	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S342	8	determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) with (after) near4 (drive disk disc non \$1volatile)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S343	86	determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) with (after) near4 (sav\$3 stor\$3 back\$4up stor \$3 buffer\$3 spool\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S344	23	determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) same (after) near4 (drive disk disc non \$1volatile)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S345	12	determin\$6 near5 (peripheral device printer) near5 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off online offline accept\$3) same (after) near4 (sav\$3 stor\$3 back\$4up stor \$3 buffer\$3 spool\$3) near3 (drive disk disc non\$1volatile memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S346	2	"20050114568".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S347	19557	(buffer memory ram short\$1term) with (long\$1term (hard adj2 drive) prom eeprom firmware) with stor\$3 with (available busy unavailable function\$3 malfunction\$3 operating operational)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S348	1243	S347 same printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S349	5092	710/8,15,17,19,31,33.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S350	132	S349 and S347	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S351	5443	710/8,15-17,19,31,33.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S352	141	S351 and S347	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S353	9	S352 not S350	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S354	333	(buffer memory ram short\$1term temporary) with (long \$1term (hard adj2 drive) prom eeprom firmware) with stor \$3 with (available busy unavailable function\$3 malfunction \$3 operating operational) with printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S355	527	(buffer memory ram short\$1term temporary) with (long \$1term (hard adj2 drive) prom eeprom firmware) with stor \$3 with (available busy unavailable function\$3 malfunction \$3 operating operational connected off) with printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S356	8	S355 and S351	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S357	775	(buffer memory ram short\$1term temporary) with (long \$1term (hard adj2 drive) prom eeprom firmware) with stor \$3 with (available busy unavailable function\$3 malfunction \$3 operating operational connected off) with print\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S358	48	S357 same print\$3 near3 (job task request file)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S359	18	("4872091" "5003494" "5047955" "5050100" "5159681" "5201031" "5241662" "5297876" "5345314" "5357607" "5408589" "5478155" "5524186" "5537517" "5548740" "5553202" "5563987" "5579452").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S360	3	printer with busy with stor\$3 with drive	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S361	25	printer with busy with stor\$3 with available	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S362	2	("6241673").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S363	4	("6238344" "6358204").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S364	6	("6023343").URPN.	USPAT	OR	ON	2010/01/25 14:34
S365	14	("4970554" "5101494" "5450571" "5467434" "5483653" "5559933" "5579087" "5580177" "5581736" "5619649" "5715381" "5790119" "5893129" "6023343").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S366	21	("3597071" "4503499" "4769771" "4821107" "4970554" "5021892" "5043881" "5047955" "5086497" "5113393" "5113494" "5126932" "5170340" "5175633" "5223948" "5276799" "5278950" "5307458" "5367673" "5436730" "5504843").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S367	1	(temporary adj (memory buffer)) with (hard adj2 drive) with peripheral near3 (available busy unavailable function \$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34

S368	148	(memory buffer) with (hard adj2 drive) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S369	61	(memory buffer) with (hard adj2 drive) with (sav\$3 stor\$3) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S370	207	((hard adj2 drive) long\$1term permanent non\$1volatile) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S371	24	(secondary) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S372	2	"0755021"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S373	0	ep0755021	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S374	255	print near3 server with drive	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S375	208	print adj server with drive	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S376	12	print adj server with hard adj drive	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S377	2	"20040139265".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S378	0	(user person operator) with cancel\$4 with (job task) with ram with printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S379	25	(user person operator) with cancel\$4 with (job task) with (memory buffer queue) with printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S380	3	"6614559".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S381	5443	710/8,15-17,19,31,33.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S382	1	(temporary adj (memory buffer)) with (hard adj2 drive) with peripheral near3 (available busy unavailable function \$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S383	148	(memory buffer) with (hard adj2 drive) with peripheral near3 (available busy unavailable function\$3 malfunction \$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34

S384	61	(memory buffer) with (hard adj2 drive) with (sav\$3 stor\$3) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S385	207	((hard adj2 drive) long\$1term permanent non\$1volatile) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S386	24	(secondary) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S387	5	S381 and S383	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S388	2	S381 and S384	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S389	4	S381 and S385	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S390	24	(secondary) with (sav\$3 stor\$3) near4 (data object file information job task) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S391	748	(sav\$3 stor\$3) near4 (data object file information job task) near4 (drive disc disk memory) with peripheral near3 (available busy unavailable function\$3 malfunction\$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S392	16	("4399538" "4458307" "4611289" "5371873" "5784628" "5845142" "5920728" "5971790" "5978922" "6304981" "6314502" "6314528" "6353894" "6487521" "6516440" "6694453").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S393	496	(sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 (drive disc disk memory) with peripheral near3 (available unavailable accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34

S394	748	(sav\$3 stor\$3) near4 (data object file information job task) near4 (drive disc disk memory) with peripheral near3 (available busy unavailable function\$3 malfunction \$3 operating operational connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S395	457	S394 and S393	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S396	9	S394 and suspend\$3 near4 (drive disc disk memory)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S397	5	S394 and suspend\$3 near4 (data object file information job task) near5 (drive disc disk memory)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S398	1892	(sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 (drive disc disk memory) same peripheral near3 (available unavailable accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S399	4956	(sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S400	976	(sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1volatile permanent)adj memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S401	981	(sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1volatile permanent)adj memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off disconnect\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S402	29	(sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1volatile permanent)adj memory) same (printer peripheral) near3 (unavailable unaccessible malfunction\$3 disconnect\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34

S403	3	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 ((hard near2 (drive disc disk)) (non\$1volatile permanent)adj memory) same (printer peripheral) near2 (unavailable inaccessible malfunction\$3 disconnect\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S404	2560	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S405	5443	710/8,15-17,19,31,33.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S406	76	S404 and S405	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S407	14	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S408	23	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence present)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S409	30	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (presence present absence absent)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S410	2	("6614559").URPN.	USPAT	OR	ON	2010/01/25 14:34
S411	6	("6694453").URPN.	USPAT	OR	ON	2010/01/25 14:34
S412	10	("4399538" "4611289" "5371873" "5784628" "5791790" "6304981" "6314502" "6314528" "6487521" "6516440").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34

S413	12	(storage near2 disk) near4 print adj data	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S414	5443	710/8,15-17,19,31,33.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S415	31034	710/8,15-17,19,31,33,36,39,52.ccls. 709/234.ccls. 711/118.ccls. 714/5,47.ccls. 358/1.1,1.13,1.15,1.16,400. ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S416	981	(sav\$3 stor\$3 back\$4up) near4 (data object file information job task) near5 ((hard near2 (drive disc disk)) (non\$1volatile permanent)adj memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off disconnect\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S417	527	(buffer memory ram short\$1term temporary) with (long \$1term (hard adj2 drive) prom eeprom firmware) with stor \$3 with (available busy unavailable function\$3 malfunction \$3 operating operational connected off) with printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S418	204	S415 and S416	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S419	30	S416 and S417	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S420	117	S415 and S417	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S421	2560	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34

S422	535	S415 and S421	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S423	18	S417 and S422	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S424	11	raz-israel\$.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S425	50	("4290421" "5550990" "5680624" "5968138" "3785909" "4247893" "4249239" "4248010" "4251821" "4252215" "4253362" "4253304" "4253672" "4255835" "4257826" "4257466" "4261399" "4262799" "4266376" "4271492" "4270698" "4274262" "4276255" "4276582" "4281569" "4283094" "4283036" "4282975" "4287428" "4290497" "4292025" "4294135" "4299230" "4300884" "4307909" RE30875 "4310017" "4311017" "4312489" "4314354" "4317303" "4318244" "4318602" "4319263" "4320507" "4321587" "4322822" "4325351" "4326139" "4326311"). pn.	US-PGPUB; USPAT	OR	ON	2010/01/25 14:34
S426	32191	710/8,15-17,19,31,33,36,39,52.ccls. 709/234.ccls. 711/118.ccls. 714/5,47.ccls. 358/1.1,1.13,1.15,1.16,400,404,442,444.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S427	2560	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S428	789	S427 same access\$5	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S429	116	S426 and S428	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S430	484	S428 same connected	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34

S431	55	S427 same access\$5 near4 connected	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S432	3010	(sav\$3 stor\$3 back\$4up) near2 (data object file information job task) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S433	8092	(sav\$3 stor\$3 back\$4up) near2 (drive disc disk memory) same (printer peripheral) near3 (available unavailable access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S434	219	S432 same (sav\$3 stor\$3 back\$4up) near2 tempora\$5	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S435	54	S426 and S434	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S436	378	S433 same (sav\$3 stor\$3 back\$4up) near2 tempora\$5	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S437	84	S426 and S436	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S438	39	S437 not S435	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S439	0	snagit\$.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S440	0	snag\$1it\$.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S441	11	raz-israel\$.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S442	7	"5898827"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S443	1712221	(stor\$3 buffer\$3) near5 (memory drive dis\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S444	1732357	(stor\$3 buffer\$3 spool\$3) near5 (memory drive dis\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S445	1392391	(peripheral device) near4 (unavailable connected coupled)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S446	128299	S444 same S445	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S447	32191	710/8,15-17,19,31,33,36,39,52.ccls. 709/234.ccls. 711/118.ccls. 714/5,47.ccls. 358/1.1,1.13,1.15,1.16,400,404,442,444.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S448	999005	(sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S449	1986973	(peripheral device) near4 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S450	96043	S448 same S449	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S451	1399	S450 and remote with field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S452	45	S447 and S451	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S453	2	"5898824".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S454	8	("5177620" "5483353" "5598533" "5621540" "5659669" "5675422" "5798848" "H001677").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/25 14:34
S455	16	("5898824").URPN.	USPAT	OR	ON	2010/01/25 14:34
S456	999005	(sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S457	1986973	(peripheral device) near4 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S458	42472	S456 with S457	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S459	84	S458 same (ebt mri spect ct pet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S460	36	"6564271"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S461	3	"6564271".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S462	73	test near3 result with output\$4 with peripheral	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S463	75	test near3 (result report) with output\$4 with peripheral	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S464	999005	(sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S465	1986973	(peripheral device) near4 (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S466	96043	S464 same S465	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S467	1399	S466 and remote with field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S468	0	S467 and S463	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S469	53	S463 and S465	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S470	2993	(portable mobile) near4 (ultrasound ebt mri spect ct pet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S471	905	S465 and S470	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S472	109	S465 same S470	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S473	999005	(sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (data object file information job task) near5 (memory drive dis\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S474	337	S471 and S473	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S475	1	S472 same S473	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S476	32191	710/8,15-17,19,31,33,36,39,52.ccls. 709/234.ccls. 711/118.ccls. 714/5,47.ccls. 358/1.1,1.13,1.15,1.16,400,404,442,444.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S477	1	S474 and S340	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S478	1	S471 and S340	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S479	360	(portable mobile) near4 (ultrasound ebt mri spect ct pet) near4 imaging	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S480	458	(portable mobile) near4 (ultrasound ebt mri spect ct pet) near4 imag\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S481	186	S465 and S480	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S482	93	S473 and S481	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S483	412	spool\$3 with (RAM volatile) with (peripheral printer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S484	201	S473 same S483	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S485	109	S340 and S484	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S486	3960	(print\$3 output\$4) near3 upon near3 (connect\$3 coupl\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S487	0	S480 and S486	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S488	7	S483 and S486	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S489	336	(stor\$3 sav\$3) near3 (drive disk disc non\$1volatile) near3 instead near3 (ram volatile sram)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S490	568	(stor\$3 sav\$3) near3 (drive disk disc non\$1volatile) near3 instead near3 (ram volatile sram memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S491	5	S490 same peripheral	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S492	1097	(stor\$3 sav\$3) near5 (drive disk disc non\$1volatile) near5 instead near5 (ram volatile sram memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S493	8	S332 same peripheral	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S494	48	S332 same printer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S495	447	S332 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S496	1151	(sav\$3 stor\$3 back\$4up stor\$3 buffer\$3 spool\$3) near5 (drive disk disc non\$1volatile) near5 instead near5 (ram volatile sram memory)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S497	465	S334 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S498	8	S334 same (unavailable connected coupled available access\$5 accessible malfunction\$3 connected off) near4 (peripheral printer ultrasound ebt mri spect ct pet)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34

S499	55	S335 same file	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S500	2	"7180619".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2010/01/25 14:34
S501	23	("20010038462" "20020027673" "20020042798" "5241397" "5287194" "5528734" "5845058" "5859711" "5897260" "5978650" "5982996" "5995721" "5995723" "6088120" "6157465" "6229622" "6248996" "6266150" "6337745" "6452692" "6618167" "6700678" "RE37258").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/25 14:34
S502	0	("7180619").URPN.	USPAT	OR	OFF	2010/01/25 14:34

1/ 26/ 2010 10:52:04 AM

C:\Documents and Settings\dmartinez\My Documents\EAST\Workspaces\10-722914 Conditional Output to Available
Peripheral device.wsp